



# AMBIENTE



## DECKING / FENCES / CLADDING




[WWW.WOODPLASTIC.EU](http://WWW.WOODPLASTIC.EU)



DO YOU DREAM OF BEAUTIFUL, LUXURIOUS DECKING WITH THE GRACE AND NOBILITY OF WOOD, BUT DREAD THE HOURS OF ANNUAL MAINTENANCE? DO YOU WANT TO JUST RELAX ON YOUR DECKING WITH YOUR FAMILY AND FRIENDS?


Now you can with our revolutionary material WoodPlastic®, which combines wood (60 %) and a high-quality, non-toxic HDPE polymer (40 %) at just the right ratio, making it one of the strongest and most durable low maintenance materials for your decking. The ideal properties for exterior use were achieved thanks to the revolutionary process and laser technology of Strandex (USA), which is one of the most advanced WPC technologies owing to many years of development and testing.






### 150 PROFILE - DOUBLE-SIDED



FOREST / RUSTIC



↖ ↗  
↙ ↘ 150 x 19 mm ← s → 3 m  3,4 kg / lm



STANDARD PALLET PACKAGING\*



Pieces	Weight (kg)	Width (mm)	Height (mm)	Lenght (mm)
105	1040	1150	600	3000

Minimum Order Quantity: 4 pallets (420 pcs)


### 160 PROFILE




FOREST



RING



↖ ↗  
↙ ↘ 160 x 22 mm ← s → 3 m  2,9 kg / lm

STANDARD PALLET PACKAGING\*


Pieces	Weight (kg)	Width (mm)	Height (mm)	Lenght (mm)
105	950	1150	600	3000

Minimum Order Quantity: 4 pallets (420 pcs)



### 137 PROFILE




STAR



ART



↖ ↗  
↙ ↘ 137 x 23 mm ← s → 3 m  2,85 kg / lm

STANDARD PALLET PACKAGING\*

Pieces	Weight (kg)	Width (mm)	Height (mm)	Lenght (mm)
104	900	1150	600	3000


Minimum Order Quantity: 4 pallets (416 pcs)

\*Individual pallet packaging can be prepared on request.

## MATERIAL CONSUMPTION PER 1 SQM DECKING


### 150 PROFILE - DOUBLE-SIDED

gap between joists	25 cm
boards	6,5 lm
clips	26 pcs
joists	3,6 lm




### 160 PROFILE

gap between joists	25 cm
boards	6 lm
clips	23 pcs
joists	3,6 lm



### 137 PROFILE

gap between joists	25 cm
boards	7 lm
clips	27 pcs
joists	3,6 lm



## OTHER WoodPlastic® PRODUCTS



### FENCE SLAT 120 FOREST PLUS

FENCE SLAT 120



120 x 11 mm

← s →

3,6 m



1,7 kg / lm



### CLADDING ECO FOREST

ECO



150 x 14 mm

← s →

3,1 m



2,1 kg / lm



dimensions

← s →

standard length



weight

## ACCESSORIES

### JOISTS



50 x 50 x 3000 mm, 2,3 kg/lm  
50 x 50 x 4000 mm, 2,3 kg/lm



50 x 30 x 3000 mm, 1,4 kg/lm  
50 x 30 x 4000 mm, 1,4 kg/lm

### FINISHING BOARDS



70 x 16 x 2000 mm, 1,4 kg/lm  
90 x 16 x 2000 mm, 1,7 kg/lm  
120 x 11 x 3000 mm, 1,7 kg/lm  
150 x 19 x 3000 mm, 3,4 kg/lm

### CLIPS, SCREWS




START CLIP  
- STAINLESS STEEL A2/A4



STANDARD CLIP  
- STAINLESS STEEL A2/A4



ECO CLADDING STANDARD CLIP  
- STAINLESS STEEL A2



DOUBLE CLIP  
- STAINLESS STEEL A2

ECO CLADDING START CLIP  
- STAINLESS STEEL A2



### MANUFACTURED IN EUROPEAN UNION

WoodPlastic® products are made in the Czech Republic with US-licensed Strandex technology.



### UP TO 25 YEARS WARRANTY

We trust in our WoodPlastic® products. That's why we provide a warranty lasting up to 25 years.



### SAFETY - SPLINTER - FREE

WoodPlastic® decking has an anti-slip surface, and unlike wood, never leaves splinters.




### EASY CLEANING - NO COATING

The WoodPlastic® decking, unlike wooden ones, requires no waxing, oil-coating.


## COLOR MATURING

INSTALLATION 1 MONTH 25 YEARS



### HIGH RESISTANCE AND COLOR FASTNESS

WoodPlastic® decking is highly durable and color fast in all weather conditions and resistant against UV, salt and chlorinated water.



**WOODPLASTIC®**

EUROPEAN MANUFACTURER OF WPC

**WPC - WOODPLASTIC A. S.**

Bukovany 181, 257 41 Týnec nad Sázavou, Czech Republic

info@woodplastic.eu | +420 224 936 841 | [www.woodplastic.eu](http://www.woodplastic.eu)

